

Biochemical Effect Mechanism of Probiotics in Gut and Evaluation of Their Effect on Allergies

Murat Doğan¹

¹Istanbul Gelişim Üniversitesi, Güzel Sanatlar Fakültesi,
Gastronomi ve Mutfak Sanatları, İstanbul, Türkiye,
ORCID ID: 0000-0001-6391-4887,
mdogan@gelisim.edu.tr,

INTERNATIONAL GOBEKLITEPE APPLIED SCIENCES CONGRESS-II

May 6-8, 2021
Harran University,
Sanliurfa, Turkey



[CITATION]

Dogan, M. (2021). Biochemical Effect Mechanism of Probiotics in Gut and Evaluation of Their Effect on Allergies. *International Gobeklitepe Applied Sciences Congress - II, 06 – 08 May 2021 Sanliurfa, Turkey*.

BIOCHEMICAL EFFECT MECHANISM OF PROBIOTICS IN GUT AND EVALUATION OF THEIR EFFECT ON ALLERGIES

PROBİYOTİKLERİN BAĞIRSAKTAKİ BİYOKİMYASAL ETKİ MEKANİZMASI VE
ALERJİ ÜZERİNE ETKİLERİNİN DEĞERLENDİRİLMESİ

Murat DOĞAN

Dr. Öğr. Üyesi, İstanbul Gelişim University, Gastronomi ve Mutfak Sanatları Bölümü,
ORCID No: 0000-0001-6391-4887

Abstract

Probiotics are natural members of the gut microbiota. In order to be effective, they must first pass through the intestinal tract alive by showing resistance to gastric acidity and bile salts, and finally colonize the cell surfaces of the intestinal epithelium. The limitation of allergy treatment methods has paved the way for the use of probiotics for the development of alternative treatment applications. However, in order for probiotics to be used in the treatment of allergic diseases, first of all, the biochemical effect mechanism in the gastrointestinal system (GIS) should be fully understood and a hypothesis consisting of three steps has been proposed for this purpose. The first step of the mechanism is that probiotics reduce the number of pathogenic bacteria and they do this by producing antimicrobial metabolites as a result of their activities in the GIS and showing antagonistic effect against other microorganisms. The second step of the mechanism is competition for nutrients, colonization sites and adhesion to intestinal epithelial tissue. The third step of the mechanism is that they change the enzymatic activity, and they do this by producing digestive system enzymes and thus contributing to the epithelial barrier functions of the intestinal tissues. Some people's immune system may also react to substances that are not normally harmful, and IgE antibodies are formed against these allergens, especially as a result of the system's repeated encounters with these allergens, and the findings of this hypersensitivity process indicate allergies. Probiotics act on the GIS by providing intestinal modulation with their dominant colonies in the intestines and stimulate mucosal immunity. They enhance the host immune system and the mucus barrier system by interacting with immune cells in the small intestine and large intestine. Both systemic and local-mucus immune systems can be regulated by probiotics in the GIS. In conclusion, probiotics show beneficial effects by regulating the microbial balance of the GIS.

Keywords: Probiotics, Biochemical Effect Mechanism, Allergy, Gastrointestinal System, Gut microbiota

Özet

Probiyotikler gut mikrobiyatanın doğal üyeleriidir. Etkili olmaları için ilk olarak mide asitliğine ve safra tuzlarına dayanıklılık göstererek bağırsak kanalına canlı olarak geçmeleri ve son olarak bağırsak epitelyum hücre yüzeylerinde kolonize olmaları gerekmektedir. Alerji tedavi yöntemlerinin kısıtlı olması alternatif tedavi uygulamalarının geliştirilmesi için probiyotiklerden yararlanılmasının önünü açmıştır. Ancak

probiyotiklerin alerjik hastalıkların tedavisinde kullanılabilmesi için öncelikli olarak gastrointestinal sistemdeki (GIS) biyokimyasal etki mekanizmasının tamamen anlaşılması gerekmektedir ve bu amaçla üç adımdan oluşan bir hipotez önerilmiştir. Mekanizmanın birinci adımı probiyotiklerin patojen bakterilerin sayılarını azaltmasıdır ve bunu GIS'deki faaliyetleri sonucu antimikrobial metabolitler üretmeleri ve diğer mikroorganizmalara karşı antagonistik etki göstergeleri ile gerçekleştirirler. Mekanizmanın ikinci adımı ise besin öğeleri, kolonizasyon bölgeleri ve bağırsak epitel dokusuna yapışma rekabetidir. Mekanizmanın üçüncü adımı enzimatik aktiviteyi değiştirmeleri olup bunu da sindirim sistemi enzimlerini üretmeleri ve böylece bağırsak dokularının epitel bariyer fonksiyonlarına katkı sağlama ile gerçekleştirirler. Bazı insanların bağıışıklık sistemi normalde zararlı olmayan maddelere karşı da reaksiyon gösterebilmektedir ve özellikle bu alerjenlerle sisteminin tekrarlayan karşılaşmaları sonucunda bunlara karşı IgE antikorları oluşur ve bu aşırı duyarlılaşma sürecinin bulguları alerjiyi işaret eder. Probiyotikler bağırsaklılardaki baskın kolonileri ile bağırsak modülasyonunu sağlayarak GIS'e etki eder ve mukazal bağıışıklığı uyarır. İnce bağırsak ve kalın bağırsaktaki immün hücreler ile etkileşime girerek konakçı immün sistemini ve mukus bariyer sistemini güçlendirirler. Hem sistemik hem de lokal-mukus immün sistem GIS'teki probiyotikler tarafından ayarlanabilmektedir. Sonuç olarak probiyotikler bağırsak sisteminin mikrobiyal dengesini düzenleyerek yararlı etkilerini göstermektedirler.

Anahtar Kelimeler: Probiyotikler, Biyokimyasal Etki, Alerji, Gastrointestinal Sistem, Gut mikrobiyata

1. INTRODUCTION

Probiotics are natural members of the human intestinal microflora and are usually lactic acid producing bacteria. They can prevent the presence of pathogenic bacteria by forming a colony. By adhering to the intestinal surface, they play a role in preventing the adhesion and proliferation of pathogenic microorganisms. It is reported that adhesion to human intestinal cells is due to the mechanism consisting of different combinations of proteins and carbohydrates on the bacterial surface, and thus they adhere to the human intestinal system and form a barrier (Timmerman et al., 2004). It has been reported that the intestinal barrier is associated with allergic diseases, especially eczema and atopic dermatitis (Penders et al., 2007). As the biochemical effect mechanisms of probiotics in the GIS are understood, alternative methods will be suggested for preventive treatment of diseases (Doğan, 2012). Since allergy treatment methods are limited, probiotics can be used in the development of alternative treatment applications. However, in order for probiotics to be used in the treatment of allergic diseases, first of all, the biochemical mechanism of effect in the GIS should be well understood. Such microorganisms perform fermentation for energy recovery in the GIS, and lactic acid and acetic acid are formed as fermentation products. Thus, they lower the pH of the environment and negatively affect the growth of pathogenic bacteria. Lactic acid, acetic acid, bacteriocin, protein complexes, fatty acids and similar metabolites formed as a result of biochemical reactions strengthen the colonization of probiotics in the GIS and prevent the presence of pathogenic bacteria. The fact that probiotics activate regulatory T cells, increase the production of IgA, increase

the release of IL-10, TGF- β and PGE2 provide stimulation of the immune system. In this sense, regulation of the immune system is beneficial in the treatment of allergic diseases (Singh and Ranjan, 2010).

2. THE IMPORTANCE OF GIS and GUT MICROBIOTA

There are many microorganisms in a symbiotic relationship in human GIS and maintain their vitality, and it is inevitable that various diseases will occur in their deficiencies. In the human intestinal system, there are microorganisms 10-20 times the number of eukaryotic cells. GIS of healthy people is one of the most important entry routes for systemic or local infections. However, the anatomical, chemical and biological barriers of the GIS are the most important defense mechanisms that prevent the formation of infection and prevent the development of infection by direct and indirect ways (Noverr and Huffnagle 2004).


GIS are gut microorganisms that affect the immune system, and it has been proven that the immune system cannot function normally without them. It is reported that probiotics achieve this by reducing the risk of colonization of pathogenic bacteria. Local pH or redox potential changes, hydrogen sulfide and short-chain fatty acids, which occur as a result of the metabolism of gut microflora, provide pathogens inhibitory properties. The gut microflora, in which there are particularly intense and different bacteria in GIS, affects many biochemical, physiological and immunological properties of the host (Ly et al., 2011).

3. PROBIOTICS

Probiotics are living microorganisms that regulate the balance of gut microbiota, regulating mucosal and systemic immunity and beneficially affect the host. There are between 400 and 500 different types of microorganisms in the gut microbiota flora, among which there are both pathogenic and health-beneficial microorganisms (Timmerman et al. 2004). Probiotics are predominant in a healthy human GIS, and in order for them to be effective in GIS, they must first pass through the intestinal tract alive by resisting gastric acidity and bile salt, and colonize the cell surfaces of the intestinal epithelium (Ouwehand and Salminen 2003).

3.1. THE BIOCHEMICAL EFFECT MECHANISM OF PROBIOTICS IN THE GIS

A hypothesis summarized below has been proposed for the biochemical mechanism of effect of probiotics in the intestinal tract (Figure 1).



The effects of probiotics occur through three mechanisms. The first of these is to reduce the number of pathogens, and as a result of the activities of probiotics in the intestinal tract, they produce antimicrobial substances (bacteriocin etc.), release them into the colon and show antagonistic effect against other microorganisms. In addition, the protein complexes and Short-chain fatty acids (SCFA) produced by them are the reasons for the antagonistic mechanism of effect for other species. Second, they compete with other microorganisms for nutrients and colonization sites. Therefore, the mechanism of effect of probiotics can be explained by chemical inhibition against other intestinal microflora members, competition for adhesion to nutrients and intestinal epithelial tissue. Third, it changes the enzymatic activity. This is because it produces enzymes that regulate GIS and thus contributes to the epithelial barrier functions of the intestinal tissues. As a result, probiotics show beneficial effects by regulating the gut microbiota balance of the intestinal system of humans and animals (Fooks and Gibson 2002).

3.2. ADHESION OF PROBIOTICS TO THE INTESTINAL EPITHELIAL SURFACES

Adhesion and colonization of probiotics to intestinal epithelial surfaces is a prerequisite for stimulation of the immune system and antagonistic effect against pathogens, and therefore adhesion is one of the main criteria for probiotic selection (Ouwehand and Salminen 2003). Mucus is a gel-like structure secreted by the mucosal glands and goblet cells lining the intestinal tract epithelium. The structural composition of mucus is large molecules, such as the polymer of mucin and highly glycolyzed protein monomers linked together by disulfide bonds. Probiotics must be able to pass through the acidic environment of the stomach to reach the adhesion surfaces in the intestinal tract. The first contact surface of probiotics that can reach the intestine is the mucus layer and must

adhere to it in order to colonize the epithelial surfaces. Probiotics that colonize the surface of the intestinal tract after adhesion form a barrier against pathogenic microorganisms. It has been reported that with antimicrobial metabolites produced by colonized probiotics, it reduces the colonization of pathogens on the surface of the intestinal system, modulates the immune system and benefits the healing of damaged mucosa (Ringot-Destrez et al, 2018).

3.3. SUBSTANCES PRODUCED BY PROBIOTICS

Probiotics produce vitamins (vitamin K, folic acid, biotin, B1, B2, B12, Niacin and ptrydoxin), enzymes (amylolytic, proteolytic and lipolytic) and essential fatty acid (Timmerman et al., 2004). In addition, they also produce metabolites such as lactic acid, hydrogen peroxide, bacteriocin, conjugated linoleic acid, diacetyl and acetaldehyde, galacto-oligosaccharide (GOS). Lactic acid destroys the substrate carrying ability of the cell by disrupting the membrane structure and has a negative effect on microorganisms. It has been determined that hydrogen peroxide formed by probiotics has an inhibitory effect on many microorganisms. It has also been reported that it produces diacetyl as a defense mechanism to compete with other microorganisms. Bacteriocins are protein or protein complexes and are potential antimicrobial agents produced by some bacterial species. Many microorganisms such as *Lactococcus*, *Lactobacillus*, *Pediococcus*, *Leuconostoc*, *Staphylococcus* and *Enterococcus* can produce bacteriocins. Conjugated linoleic acid (CLA) is a fatty acid synthesized by gut microorganisms. It has been determined that it is anticarcinogenic, antiatherogenic, antidiabetic, stimulating the immune system, regulating the composition of body fat, muscle and mineral substances. The Beta-Galactosidases enzyme produced by probiotics enables the production of GOS and is indigestible in human and animal metabolism, but they show prebiotic properties (Timmerman, et al.2004).

4. PROBIOTICS AND ALLERGY

The immune system, which protects against diseases, may also react to substances that are not normally harmful in some people. In allergic people, IgE-type antibodies are formed against allergens as a result of repeated encounters with the immune system. This process is called "hypersensitivity" and after the sensitization process is completed, after each contact with the allergen, allergic disease symptoms appear in the person in a short time. It develops through mediators secreted by a group of cells called mast cells and basophils carrying allergen-specific IgE antibodies. With the effect of these mediators (a group of biochemical substances, mainly histamine), allergy symptoms occur in target organs (such as eyes, nose, respiratory tract). Allergens are antigens that cause allergies, and most allergens that react with IgE and IgG antibodies are often carbohydrate side-chain proteins, although in some cases it has been hypothesized that pure carbohydrates may also be allergens (Johansson et al., 2004). It is known that there are a large number of microorganisms in the human intestine that survive with a symbiotic effect. The gut microbiota, especially the GIS flora, which contains very dense and different bacteria, can affect many biochemical, physiological and immunological properties of the host (Manichanh et al., 2012).

Probiotics provide intestinal modulation in the intestinal tract with dominant colonies and stimulate mucosal immunity by acting on GIS. As a result, they interact with immune cells in the small intestine and large intestine to strengthen the host's immune system and mucus barrier system. Both systemic and local-mucus immune systems can be regulated by probiotics in the gut. It is reported that the barrier antigen formed by probiotics in the intestinal system is effective in preventing the passage of metabolites to the circulatory system. Many recent studies report that probiotics have a role in the treatment and prevention of atopic dermatitis, eczema, allergic rhinitis, asthma and other allergic diseases. Studies suggest that the regulation of gut microbiota helps prevent allergic diseases (Kukkonen et al., 2010).

It has been established that there is a close relationship between eczema and intestinal permeability or cavities of the intestinal wall in the digestive tract. It is reported that eczema occurs when large food particles are mixed into the blood without being completely digested and breaking down into small particles. When large molecules enter the blood, they attach to various cells in any part of the body and defense factors begin to move around these molecules.

In this case, inflammation increases and histamine increases due to the IgE antibody, and these chemicals cause an itchy and scaly eczema allergy. Probiotics break down these allergen-causing macromolecules in the intestinal tract into smaller non-allergen molecules. Thus, allergens are prevented from entering the blood in the system (Niers et al., 2009). The therapeutic and preventive mechanism of probiotics in allergy is briefly given in Table 1.

Table 1. The therapeutic and preventive mechanism of probiotics

| Mechanism of Effect | Pathway of Mechanism of Effect |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Immune System Modulation | Probiotics help regulate the immune system by affecting the GIS biochemically and physiologically. Thus, regulation of immunity positively affects allergy treatment. |
| Strengthening the Intestinal Mucosa | Probiotics strengthen the protective mucous barrier in the intestines. Thus, they prevent allergic substances from entering the blood by reducing intestinal permeability. |
| Breakdown of Allergenic Substances | Allergenic substances broken down in GIS by probiotics are reduced to non-allergenic substances. For example, the reduction of proteins (protein hydrolysis) down to the smallest units (amino acids) can reduce the occurrence of allergic events. |
| Suppressing IgE Production | When the body encounters allergens, too much IgE antibody is produced, which causes the release of histamine that causes allergic responses, and probiotics can control this excessive IgE production. |
| Increase of IL-10 Production | It stimulates the prevention of allergy and decrease in inflammation with the increase of IL-10 production. |
| Increase of IgG Production | Probiotics stimulate the increase in the level of IgG antibody, which plays a protective role against allergies. |

5. RESULT AND DISCUSSION

It can be hypothesized that probiotics are beneficial against infections by forming a dominant flora in the intestinal tract. However, it would be a wrong assumption to conclude that it has a direct effect on allergic diseases. The effect of probiotics on allergic diseases can be explained by the conversion of allergic substances entering the intestinal system into smaller non-allergenic substances. It is also the case that probiotics improve the barrier function of the intestinal mucosa and reduce the antigen passage through the mucosa. We can argue that the source of all allergic diseases is the malfunctioning of the human immune system. In addition, we can say that probiotics are beneficial against allergic diseases by regulating the natural immune system. The regulation of the natural immune system begins with the regulation of the intestinal mucosal immune system. This mucosal immune regulation that occurs later provides the stimulation of the entire immune system (Tang 2009).

There is a Hygiene Hypothesis regarding the occurrence of allergic diseases. According to the Hygiene Hypothesis, children are raised in sterile environments in many industrialized countries and the natural immune system of children raised in sterile environments is not well developed. In addition, the mechanism that needs to be used in different defense areas in the body reacts to what the body should perceive as harmless. For these reasons, it is assumed that allergic sensitivity occurs. In summary, the hygiene hypothesis suggests that allergic sensitivity is due to the wrong positioning of the immune system. From this point of view, it can be argued that probiotics have a positive effect in preventing and treating allergic diseases by regulating the immune system (Isolauri et al., 2009).

In recent years, interest in the complex microbial ecosystem in the human gastrointestinal tract has increased. The most important reasons for this increase are related to the attachment of probiotics to the mucosal surfaces in the intestine, which hosts microbial ecosystem colonies, their antagonistic activity to pathogens and thus stimulation of the immune system. Natural bacteria of the human intestinal microflora can be composed of probiotics, but today's stress, malnutrition and environmental pollution have disrupted this structure. We suggest that many more *in vivo* studies should be conducted to fully correlate the gut microbial population and their biochemical effects (Bangerter et al.2020).

REFERENCES

1. Bangerter, L., Savoie-Roskos, M. R., Chapman, J., Sundell, A., & Durward, C. (2020). Go with Your Gut: the Role of Gut Microbiota in Health.
2. Caballero-Franco, C. (2009). *Studies on the interaction between gastrointestinal bacteria and epithelial cells* (Vol. 71, No. 03).
3. Doğan, M. (2012). Probiyotik Bakterilerin Gastrointestinal Sistemdeki Etki Mekanizması. *Gıda Teknolojileri Elektronik Dergisi*, 7(1), 20-27.
4. Fooks, L. J., & Gibson, G. R. (2002). Probiotics as modulators of the gut flora. *British Journal of Nutrition*, 88(S1), s39-s49.

5. Isolauri, E., Kalliomäki, M., Rautava, S., Salminen, S., & Laitinen, K. (2009). Obesity—extending the hygiene hypothesis. In *Microbial Host-Interaction: Tolerance versus Allergy* (Vol. 64, pp. 75-89). Karger Publishers.
6. Johansson, S. G. O., Bieber, T., Dahl, R., Friedmann, P. S., Lanier, B. Q., Lockey, R. F., ... & Williams, H. C. (2004). Revised nomenclature for allergy for global use: Report of the Nomenclature Review Committee of the World Allergy Organization, October 2003. *Journal of allergy and clinical immunology*, 113(5), 832-836.
7. Kukkonen, K., Kuitunen, M., Haahtela, T., Korpela, R., Poussa, T., & Savilahti, E. (2010). High intestinal IgA associates with reduced risk of IgE-associated allergic diseases. *Pediatric allergy and immunology*, 21(1-Part-I), 67-73.
8. Ly, N. P., Litonjua, A., Gold, D. R., & Celedón, J. C. (2011). Gut microbiota, probiotics, and vitamin D: interrelated exposures influencing allergy, asthma, and obesity?. *Journal of Allergy and Clinical Immunology*, 127(5), 1087-1094.
9. Manichanh, C., Borruel, N., Casellas, F., & Guarner, F. (2012). The gut microbiota in IBD. *Nature reviews Gastroenterology & hepatology*, 9(10), 599.
10. Niers, L., Martín, R., Rijkers, G., Sengers, F., Timmerman, H., Van Uden, N., ... & Hoekstra, M. (2009). The effects of selected probiotic strains on the development of eczema (the PandA study). *Allergy*, 64(9), 1349-1358.
11. Noverr, M. C., & Huffnagle, G. B. (2004). Does the microbiota regulate immune responses outside the gut?. *Trends in microbiology*, 12(12), 562-568.
12. Ouwehand, A. C., & Salminen, S. (2003). In vitro adhesion assays for probiotics and their in vivo relevance: a review. *Microbial ecology in health and disease*, 15(4), 175-184.
13. Penders, J., Stobberingh, E. E., Brandt, P. V. D., & Thijs, C. (2007). The role of the intestinal microbiota in the development of atopic disorders. *Allergy*, 62(11), 1223-1236.
14. Ringot-Destrez, B., D'alessandro, Z., Lacroix, J. M., Mercier-Bonin, M., Léonard, R., & Robbe-Masselot, C. (2018). A sensitive and rapid method to determine the adhesion capacity of probiotics and pathogenic microorganisms to human gastrointestinal mucins. *Microorganisms*, 6(2), 49.
15. Singh, M., & Ranjan Das, R. (2010). Probiotics for allergic respiratory diseases—putting it into perspective. *Pediatric Allergy and Immunology*, 21(2p2), e368-e376.
16. Tang, M. L. (2009). Probiotics and prebiotics: immunological and clinical effects in allergic disease. In *Microbial Host-Interaction: Tolerance versus Allergy* (Vol. 64, pp. 219-238). Karger Publishers.
17. Timmerman, H. M., Koning, C. J. M., Mulder, L., Rombouts, F. M., & Beynen, A. C. (2004). Monostrain, multistain and multispecies probiotics—a comparison of functionality and efficacy. *International journal of food microbiology*, 96(3), 219-233.

INTERNATIONAL GOBEKLITEPE APPLIED SCIENCES CONGRESS-II

May 6-8, 2021
Harran University,
Sanliurfa, Turkey



Proceedings book

Editors:
Assoc. Prof. Dr. Ayşe Gülgün ÖKTEM
Zhanuzak ALIMGEREY

ISBN – 978-605-74407-2-3

INTERNATIONAL GOBEKLITEPE APPLIED SCIENCES CONGRESS-II

**May 6-8, 2021
Harran University, Sanliurfa, Turkey**

Proceedings book

Editors:
Assoc. Prof. Dr. Ayşe Gülgün ÖKTEM
Zhanuzak ALIMGEREY

All rights of this book belong to IKSAD Global Publishing House
Authors are responsible both ethically and juristically
IKSAD Globa Publications - 2021©
Issued: 20.05.2021

ISBN – 978-605-74407-2-3

CONGRESS'S IDENTIFICATION

CONGRESS NAME

INTERNATIONAL GOBEKLITEPE APPLIED SCIENCES CONGRESS-II

DATE AND PLACE

6-8 May 2021
Harran University,
Sanliurfa, Turkey

ORGANIZING COMMITTEE

Honorary President of the Congress, Rector of Harran University
Prof. Dr. Mehmet Sabri ÇELİK

Dr. Öğr. Üyesi Hüseyin ERİŞ

Prof. Dr. Esra SİVEREKLİ

Prof. Dr. Ahmet KILIÇ

Prof. Dr. Şevket ÖKTEM

Prof. Dr. Murat SEVGİLİ

Prof. Dr. Mehtap Gül Altaş

Doç. Dr. Nebiye YENTÜR DONİ

Doç. Dr. İsmail HİLALİ

Doç. Dr. Aysegül BAYTAK

Doç. Dr. Mahmut MODANLI

Doç. Dr. İsmail Şah HAREM

Doç. Dr. Nihayet BAYRAKTAR

Doç. Dr. Hasan BÜYÜKASLAN

Doç. Dr. Ayşe Gülgün ÖKTEM

Dr. Öğr. Üyesi Ahmet TAŞ

Dr. Öğr. Üyesi Suzan HAVLİOĞLU

Dr. Öğr. Üyesi İlter DEMİRHAN

Dr. Öğr. Üyesi Gülcen GÜRSES

Dr. Öğr. Üyesi Adnan KİRMİT

Dr. Öğr. Üyesi Müslüm Toptan,

Dr. Öğr. Üyesi Serap SATİŞ

Dr. Öğr. Üyesi Ahmet GÜZELÇİCEK

Öğr. Gör. Feray BUCAK

Öğr. Gör. Osman ÖZKAN

Öğr. Gör. Sinem BARUT

Oğr. Gör. Adem NECİP

Uzman Elif Sema ÖZDİL

Elvan CAFAROV

COORDINATOR

Zhanuzak ALIMGEREY

NUMBER OF ACCEPTED PAPERS

51

NUMBER OF REJECTED PAPERS

17

EVALUATION PROCESS

All applications have undergone a double-blind peer review process

CONGRESS LANGUAGES

Turkish and all dialects, French, English, Russian

PRESENTATION

Oral presentation

PHOTO GALLERY




A screenshot of a video conference interface showing a breakout room with seven participants. The participants are arranged in a grid:


- Row 1: H4-özmen istek, H4-Observer, H4-Session-2- Diego Penagos-Vásquez
- Row 2: H4-SEVGİ ÖZDEMİR, Hall-4 Esin ÜNSALDI, h4 Qaçay İsmayılov
- Row 3: H4-Sait Kirkpinar

On the right side of the screen, there is a list titled "Breakout Room Participants (7)" with the following entries:

- H-4-Observer (Co-host, me)
- H4-Session-2- Diego Penagos-Vásquez
- Hall-4 Esin ÜNSALDI
- h4 Qaçay İsmayılov
- H4-özmen istek
- H4-Sait Kirkpinar
- H4-SEVGİ ÖZDEMİR

At the bottom of the screen, there is a search bar with the placeholder "Type here to search" and a taskbar with various application icons.





TÜRKİYE'DE GÜNEŞ ENERJİSİ POTANSİYELİ

EİE GÜNEŞ ENERJİSİ POTANSİYEL ATLASI (GEPA)

Türkiye genelinde:
yıllık toplam
güneşlenme süresi
ortalama 2640 saat

Yıllık güneş enerjisi
ışınım şiddeti:
1311 kWh/m²

Participants: H4-Nermin Özdağ, H4-Hasan Ka..., H4-yesim.sener, H4-sercan.yentur..., h4 tayfun.kaya

Breakout Room Participants (11):

- H-4-Observer (Co-host, me)
- h Prof. Dr. Hasan Hüseyin Ö...
- H4-Moderatör-Ayşe Gülgün ÖKT...
- h4 A.Naim Temur
- h4 tayfun.kaya
- h4 Ümrان ATAY- GAPTAEM ATAY
- H4-Hasan Kaan Kücükerdem
- H4-Mahmut ÇETİN
- H4-Nermin Özdağ
- H4-sercan.yenturk
- H4-yesim.sener

SCIENCE COMMITTEE MEMBERS

Prof. Dr. Ahmet KILIÇ
Harran University

Prof. Dr. Aparna SRIVASTAVA
Noida University

Prof. Dr. Esra SİVEREKLİ
Harran University

Prof. Dr. Hacer HÜSEYINOVA
Azerbaijan State Pedagogy University

Prof. Dr. Mustafa TALAS
Ömer Halisdemir University

Prof. Dr. Osman ERKMEN
Gaziantep University

Prof. Dr. Salih MERCAN
Bitlis Eren University

Prof. Dr. Şevket ÖKTEM
Harran University

Doç. Dr. Ayşegül BAYTAK
Harran University

Doç. Dr. Froilan MOBO
Philippines Merchant Marine Academy

Doç. Dr. İsmail HİLALİ
Harran University

Doç. Dr. İsmail Şah HAREM
Harran University

Doç. Dr. Mahmut MODANLI
Harran University

Doç. Dr. Nebiye YENTÜR DONİ
Harran University

Doç. Dr. Osman Kubilay GÜL
Cumhuriyet University

Dr. Baurcan BOTAKARAYEV
Hoca Ahmet Yesevi International Kazakh-Turkish University

Dr. Damezhan SADYKOVA
Kazakh Girls State Pedagogical University

Dr. Hüseyin ERIŞ
Harran University

Dr. Terane NAGIYEVA
Azerbaijan State Pedagogy University


Elvan CAFEROV
Azerbaijan State Pedagogy University

INTERNATIONAL GOBEKLITEPE APPLIED SCIENCES CONGRESS-II



CONFERENCE PROGRAM

MAY 6-8, 2021
HARRAN UNIVERSITY, SANLIURFA, TURKEY



IMPORTANT, PLEASE READ CAREFULLY

- ❖ To be able to attend a meeting online, login via <https://zoom.us/join> site, enter ID “Meeting ID or Personal Link Name” and solidify the session.
- ❖ The Zoom application is free and no need to create an account.
- ❖ The Zoom application can be used without registration.
- ❖ The application works on tablets, phones and PCs.
- ❖ The participant must be connected to the session 5 minutes before the presentation time.
- ❖ All congress participants can connect live and listen to all sessions.
- ❖ Moderator is responsible for the presentation and scientific discussion (question-answer) section of the session.

Points to Take into Consideration - TECHNICAL INFORMATION

- ◆ Make sure your computer has a microphone and is working.
- ◆ You should be able to use screen sharing feature in Zoom.
- ◆ Attendance certificates will be sent to you as pdf at the end of the congress.
- ◆ Requests such as change of place and time will not be taken into consideration in the congress program.

ÖNEMLİ, DİKKATLE OKUYUNUZ LÜTFEN

- ❖ Kongremizde Yazım Kurallarına uygun gönderilmiş ve bilim kurulundan geçen bildiriler için online (video konferans sistemi üzerinden) sunum imkanı sağlanmıştır.
- ❖ Online sunum yapabilmek için <https://zoom.us/join> sitesi üzerinden giriş yaparak “Meeting ID or Personal Link Name” yerine ID numarasını girerek oturuma katılabilirsiniz.
- ❖ Zoom uygulaması ücretsizdir ve hesap oluşturmaya gerek yoktur.
- ❖ Zoom uygulaması kaydolmadan kullanılabilir.
- ❖ Uygulama tablet, telefon ve PC'lerde çalışıyor.
- ❖ Her oturumdaki sunucular, sunum saatinden 5 dk öncesinde oturuma bağlanmış olmaları gerekmektedir.
- ❖ Tüm kongre katılımcıları canlı bağlanarak tüm oturumları dinleyebilir.
- ❖ Moderator – oturumdaki sunum ve bilimsel tartışma (soru-cevap) kısmından sorumludur.

Dikkat Edilmesi Gerekenler- TEKNİK BİLGİLER

- ◆ Bilgisayarınızda mikrofon olduğuna ve çalıştığını emin olun.
- ◆ Zoom'da ekran paylaşma özelliğine kullanabileceğiniz.
- ◆ Kabul edilen bildiri sahiplerinin mail adreslerine Zoom uygulamasında oluşturduğumuz oturuma ait ID numarası gönderilecektir.
- ◆ Katılım belgeleri kongre sonunda tarafınıza pdf olarak gönderilecektir
- ◆ Kongre programında yer ve saat değişikliği gibi talepler dikkate alınmayacaktır

CONGRESS LANGUAGES: Turkish and all dialects, English, Russian

~Opening Ceremony~

06.05.2021



09⁴⁰-10⁰⁰

• Turkey Local Time

Head of Organizing Committee

Dr. Hüseyin ERİŞ

Harran University

Participants Countries:

Turkey, Colombia, Azerbaijan, Algeria, Pakistan

**DATE
06.05.2021**

**HALL-3
SESSION-I**

**ANKARA TIME
10⁰⁰-12³⁰**

MODERATOR: Dr. Harun KOÇAK

| | | |
|----------------------------------------------------------------------|----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Yıldırım ÖZÜPAK | Dicle Üniversitesi | YÜKSEK GERİLİM SİSTEMLERDE İLETİM HATLARINDA MEYDANA GELEN ELEKTRİK ALANININ ANALİZİ |
| Yıldırım ÖZÜPAK | Dicle Üniversitesi | YÜKSEK GERİLİM GÜC HATLARININ MANYETİK ALAN ANALİZLERİ |
| Dr. Öğr. Üyesi Fatih ÖZBAĞ Burcu CEYLAN KURU | Harran Üniversitesi | EVANS FONKSİYONU İLE TERS YÖNDE İLERLEYEN DALGALARIN SPEKTRUM ANALİZİ |
| M. Tarık ÇAKIR Bekir YELMEN | Sivas Bilim ve Teknoloji Üniversitesi Adana Büyükşehir Belediyesi | ISI GİDERİ İLE SOĞUTMANIN CFD ANALİZİ |
| Sinan YÜZLU Prof. Dr. Şule UĞUR | Gazi Üniversitesi | XIn 2 O 4 (X = Mg, Zn, Cd) BİLEŞİĞİNİN YAPISAL, ELASTİK, ELEKTRONİK VE FONON ÖZELLİKLERİ: YOĞUNLUK FONKSİYONEL TEORİSİ LDA VE GGA HESAPLAMALARI |
| Zeynep KIZILIRMAK Prof. Dr. Şule UĞUR | Gazi Üniversitesi | XIn 2 S 4 (X = Mg, Zn, Cd) SPİNEL BİLEŞİKLERİNİN İLK İLKE HESAPLAMALARI İLE YAPISAL, ELASTİK, ELEKTRONİK ve FONON ÖZELLİKLERİ |
| Ezgi MAMAN Prof. Dr. Göksay UĞUR | Gazi Üniversitesi | X 2 MgS 4 (X = Sc, Y, Cd) SPİNEL BİLEŞİKLERİNİN YAPISAL, ELEKTRONİK, ELASTİK VE FONON ÖZELLİKLERİ: DFT ÇALIŞMASI |
| Hüseyin YILDIRIM | Karabük Üniversitesi | Ir-Au NANOALAŞIMLARININ YAPISAL, ENERJİK ve ERİME ÖZELLİKLERİNE KOMPOZİSYON ETKİSİ |
| Muhammed YILMAZ Mutlu Tarık ÇAKIR | Sivas Bilim ve Teknoloji Üniversitesi | DOĞRUSAL HAREKETLİ BİR MANYETİK SOĞUTUCUNUN TERMODİNAMİK ANALİZİ |
| Öğr. Gör. Dr. Harun KOÇAK | Gazi Üniversitesi | HAVACILIKTA KULLANILAN DOLU GÖVDELİ PERÇİNİN ŞEKİLLENDİRİLMESİNDEN BASKI KUVVETİNİN ARAŞTIRILMASI |
| Irem FİNÇAN Selin ÖZDEMİR Özgür ÇOPKUR Mustafa BİRİCİKÖZCAN | Sanem Plastik Tasarım Merkezi | PVC MASA ÖRTÜSÜ ÜRETİMİNDE KULLANILMAK ÜZERE TEKLİ PAKET STABİLİZATÖR HAZIRLANMASI |

**DATE
06.05.2021**

**HALL-3
SESSION-2**

**ANKARA TIME
13⁰⁰-15³⁰**

MODERATOR: Doç. Dr. Latif Onur UĞUR

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Öğr. Gör. Necip Altay EREN | Gaziantep Üniversitesi | ÇELİK FİBERİN BETON KİRİŞLERİN DARBE DİRENCİNÉ ETKİSİ |
| Doç. Dr. Latif Onur UĞUR Merve ARSLAN | Düzce Üniversitesi | İNŞAAT MÜHENDİSLERİNİN MÜHENDİSLİK ETİĞİ UYGULAMALARININ DEĞERLENDİRİLMESİ |
| Doç. Dr. Latif Onur UĞUR İrem ÇELİK | Düzce Üniversitesi | İNŞAAT FİRMALARININ KAMU İHALELERİNE GİRİP GİRMEME KARARI VERMELERİNE YÖNELİK BİR ANKET ÇALIŞMASI |
| Doç. Dr. Latif Onur UĞUR | Düzce Üniversitesi | İHALEYİ KAZANACAK BİR İNŞAAT FİRMASININ GRİ İLİŞKİSEL ANALİZ YÖNTEMİ İLE BELİRLENMESİ |
| Gökhan ORAL | Bartın Üniversitesi | FİBER KATKILAR İLE MODİFİYE EDİLEN GEÇİRİMLİ ASFALT KAPLAMA KARIŞIMLARIN TASARIM PARAMETRELERİNİN İNCELENMESİ |
| Doç. Dr. Murat ALTEKİN Burak YÜCE | Yıldız Teknik Üniversitesi | ELASTİK ZEMİNE OTURAN KOMPOZİT DAİRESEL PLAKLARIN EĞİLME ANALİZİ |
| Dr. Öğr. Üyesi Reşit GERGER Selmin DERE | Harran Üniversitesi | GEN EKSPRESYON YÖNTEMİ İLE YAĞIŞ AKIŞ İLİŞKİSİNİN DEĞERLENDİRİLMESİ: E26A024 İSTASYONU ÖRNEĞİ |
| Dr. Öğr. Üyesi Nasır NARLIOĞLU | İzmir Kâtip Çelebi Üniversitesi | FARKLI ANHİDRİT MODİFİKASYONUNUN AHŞAP KAPLAMA FİZİKSEL ÖZELLİKLERİNE ETKİSİ |
| Usman Muhammad Gidado Muhammad Ahmad Ibrahim ABDULKADIR Sani SANI INUSA MILALA | Abubakar Tafawa Balewa University, Nigeria | CHALLENGES OF REWORK IN CONSTRUCTION PROJECT OF RECONSTRUCTIONS REHABILITATION AND RESETTLEMENT (RRR) MINISTRY BORNO STATE |
| Dr. of eng.sc. Rasim NƏSİB OĞLU NƏBİYEV T.f.d. Qədir İSAXAN OĞLU QARAYEV Ruslan RÜSTƏM OĞLU RÜSTƏMOV | National Aviation Academy of Azerbaijan | DETERMINATION OF HIGH SENSITIVE AUTOGENERATOR SCHEME FOR CAPACITY SENSORS |
| Dr. of eng.sc. Rasim NƏSİB OĞLU NƏBİYEV T.f.d. Qədir İSAXAN OĞLU QARAYEV Ruslan RÜSTƏM OĞLU RÜSTƏMOV Hafiz SAMİR OĞLU QULUZADƏ | National Aviation Academy of Azerbaijan, Anadolu University | SOFTWARE DEVELOPMENT DIFFERENTIAL CAPACITANCE DEVICE WITH TWO AUTO GENERATORS |

**DATE
06.05.2021**

**HALL-3
SESSION-3**

**ANKARA TIME
16⁰⁰-18³⁰**

MODERATOR: Dr. Murat DOĞAN

| | | |
|------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Dr. Öğr. Üyesi Murat DOĞAN | Istanbul Gelişim Üniversitesi | PROBİYOTİKLERİN BAĞIRSAKTAKİ BİYOKİMYASAL ETKİ MEKANİZMASI VE ALERJİ ÜZERİNE ETKİLERİNİN DEĞERLENDİRİLMESİ |
| Arş. Gör. Mine KUÇAK Prof. Dr. M. Hamza MÜSLÜMANOĞLU | Yıldız Teknik Üniversitesi | TOLUHİDROKİNONUN KOLON KANSERİ HÜCRELERİ ÜZERİNDEKİ SİTOTOKSİK ETKİLERİNİN ARAŞTIRILMASI |
| Dr. Seval ZEYBEK Prof. Dr. Emine ÇIKMAN | Denizbank Güneydoğu Anadolu Bölge Müdürlüğü, Harran Üniversitesi | BAZI ABİYOTİK FAKTÖRLERİN GÜBRE BÖCEKLERİNE ETKİSİ |
| Dr. Emre Turgay | Istanbul University | METAGENOMICS FOR BETTER CHARACTERIZATION OF MICROBIAL BIODIVERSITY IN AQUACULTURE |
| Duygu AYDIN Özlem AKSOY Burcu YUKSEL | Kocaeli Üniversitesi | Kathon CG'nin Bezelye Üzerindeki Sitotoksik Etkisi ve Sıvı Vermicompostun Düzenleyici Özelliği |
| Rania Kara Amor Azizi | Ferhat Abbas-Sétif 1 University, Algeria Abbes Laghrour University | ELECTROCHEMICAL CONSTRUCTION OF THIN FILM (0001)-ZnO/(111)-Cu 2 O HETEROJUNCTION DIODE WITH EXCELLENT RECTIFICATION FEATURE |
| Rabia Shabir Ahmad | Government College University, Pakistan | GARLIC: NUMINOUS FOOD IN HEALTH PROMOTION |
| Waffa Bouafia | University of Batna 2, Algeria | IN-VITRO INVESTIGATION OF BIOLOGICAL ACTIVITY OF AERIAL PART OF EPHEDRA ALTISSIMA |
| Dr. Muhammad Imran | Government College University, Pakistan | GENERAL CHANGES IN FOODS DURING MODERN EXTRUSION COOKING |
| Dos. Novruz Nasirov Guliyeva Jale | Azerbaijan State Pedagogical University | SOLUTION OF SOME INEQUALITIES INCLUDED IN THE 8TH GRADE PARAMETER |
| Levent BEYAZSAKAL Prof. Dr. Ahmet KILIC | Harran University | YENİ AMİN-BİS(FENOLAT) LİGANDLARI VE BUNLARIN BOR KOMPLEKSLERİNİN SENTEZİ, KARAKTERİZASYONU VE SPEKTROSKOPİK ÇALIŞMALARI |
| Bagirova Fidan | Azerbaijan State Pedagogical University | OPPORTUNITIES AND WAYS TO BUILD INTERDISCIPLINARY RELATIONSHIP IN THE TEACHING OF BIOLOGY RELATED TO GEOGRAPHY |

**DATE
06.05.2021**

**HALL-4
SESSION-I**

**ANKARA TIME
10⁰⁰-12³⁰**

MODERATOR: Doç. Dr. Ayşe Gülgün ÖKTEM

| | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Prof. Dr. H. Hüseyin ÖZTÜRK Prof. Dr. Mahmut ÇETİN Ümran ATAY Ertan KAPLAN Uğur Mutluhan ORUNCAK Levent DAİ Yeşim ŞENER Fatih KAYMAK Kemal KAÇKIN Sercan YENTÜRK Nermin ÖZDAĞ</p> | <p>Çukurova Üniversitesi GAP Tarımsal Araştırma Enstitüsü Müdürlüğü Şanlıurfa Tarım ve Orman İl Müdürlüğü Dicle Elektrik Dağıtım A.Ş.</p> | <p>HARRAN OVASINDA İKİNCİ ÜRÜN MISIR ÜRETİMİNDE GÜNEŞ ENERJİLİ DAMLA SULAMA SİSTEMİ İÇİN TASARIM DEĞİŞKENLERİNİN BELİRLENMESİ</p> |
| <p>Prof. Dr. H. Hüseyin ÖZTÜRK Prof. Dr. Mahmut ÇETİN Ümran ATAY Ertan KAPLAN Uğur Mutluhan ORUNCAK Levent DAİ Yeşim ŞENER Fatih KAYMAK Kemal KAÇKIN Sercan YENTÜRK Nermin ÖZDAĞ</p> | <p>Çukurova Üniversitesi GAP Tarımsal Araştırma Enstitüsü Müdürlüğü Şanlıurfa Tarım ve Orman İl Müdürlüğü Dicle Elektrik Dağıtım A.Ş.</p> | <p>HARRAN OVASINDA PAMUK ÜRETİMİNDE GÜNEŞ ENERJİLİ DAMLA SULAMA SİSTEMİ İÇİN TASARIM DEĞİŞKENLERİNİN BELİRLENMESİ</p> |
| <p>Prof. Dr. H. Hüseyin ÖZTÜRK Prof. Dr. Mahmut ÇETİN Ümran ATAY Ertan KAPLAN Uğur Mutluhan ORUNCAK Levent DAİ Yeşim ŞENER Fatih KAYMAK Kemal KAÇKIN Sercan YENTÜRK Nermin ÖZDAĞ</p> | <p>Çukurova Üniversitesi GAP Tarımsal Araştırma Enstitüsü Müdürlüğü Şanlıurfa Tarım ve Orman İl Müdürlüğü Dicle Elektrik Dağıtım A.Ş.</p> | <p>GÜNEYDOĞU ANADOLU BÖLGESİNDEN TARIMSAL SULAMA İÇİN ENERJİ TASARRUFU ÖNLEMLERİ</p> |
| <p>Dr. Öğr. Üyesi Abdülnaim Temur Hasan Bekircan Kiper</p> | <p>İstanbul Gelişim Üniversitesi</p> | <p>TÜRK TARIM SİGORTACILIĞINDA TARSİM ÖNCESİ VE SONRASI DURUM DEĞERLENDİRMESİ</p> |
| <p>Dr. Öğr. Üyesi Abdülnaim Temur</p> | <p>İstanbul Gelişim Üniversitesi</p> | <p>BİRDEN FAZLA SAĞLIK SİGORTASININ BULUNDUĞU DURumlarda ÇİFTE SİGORTA YASAKLARININ VEYA MÜSTEREK SİGORTA HÜKÜMLERİNİN UYGULANACAGI HAKKINDA ÖRNEK BİR VAK'A</p> |
| <p>Dr. Nusret MUTLU Prof.Dr. H. Hüseyin ÖZTÜRK Mustafa Ali Yurdupak Tuğçe Topaloğlu Dikbaş</p> | <p>T.C. Sanayi ve Teknoloji Bakanlığı GAP Bölge Kalkınma İdaresi Başkanlığı</p> | <p>TARIMSAL DEĞER ZİNCİRİ PAYDAŞLARI İÇİN YENİLENEBİLİR ENERJİ VE ENERJİ VERİMLİLİĞİ UYGULANABİLİRLİĞİNİN DEĞERLENDİRİLMESİ</p> |

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Evrim Esen Uygun | Çukurova Üniversitesi Birleşmiş Milletler Kalkınma Programı (UNDP) Yıldız Kule | |
| Prof.Dr. H. Hüseyin ÖZTÜRK Arş.Gör. Hasan Kaan KÜÇÜKERDEM Dr. Nusret MUTLU Yılmaz DAĞTEKİN Mustafa AFŞAR Arzu KARAARSLAN | Çukurova Üniversitesi İğdır Üniversitesi T.C. Sanayi ve Teknoloji Bakanlığı GAP Bölge Kalkınma İdaresi Başkanlığı Birleşmiş Milletler Kalkınma Programı (UNDP) Yıldız Kule | YENİLENEBİLİR ENERJİ TEKNOLOJİLERİ İLE ELEKTRİK ÜRETİMİ İÇİN YATIRIM VE ÜRETİM MALİYETLERİ |
| Dr. Öğr. Üyesi Tayfun Kaya | Kırşehir Ahi Evran Üniversitesi | AKDENİZ VE MARMARA BÖLGESİNDE BAZI BEYAZSİNEK POPÜLASYONLARINDA PORTİERA İNSİDANSININ İNCELENMESİ |
| Muhammad Haseeb Ahmad | Government College University, Pakistan | FLUORESCENCE BASED CHARACTERİZATION OF CEREALS FOR SENSOR DEVELOPMENT |
| Doç. Dr. Ayşe Gülgün ÖKTEM | Harran Üniversitesi | BAZI ATDİSİ MISIR (<i>Zea Mays L. indentata</i>) GENOTİPLERİNİN YARI KURAK İKLİM KOŞULLARINDA BİYOKÜTLE VERİMİ VE ÖĞELERİNİN BELİRLENMESİ |

**DATE
06.05.2021**

**HALL-4
SESSION-2**

**ANKARA TIME
13⁰⁰-15³⁰**

MODERATOR: Dr. Esin ÜNSALDI

| | | |
|--------------------------------------------------------------------------------------------|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dr. Sait KIRKPINAR Prof. Dr. Mehmet Bozkurt ATAMAN | Harran Üniversitesi Selçuk Üniversitesi | KIVIRCIK IRKI KOYUNLarda ÜREME SEZONU DİŞINDA KISA VE UZUN SÜRELİ CIDR UYGULAMALARININ BAZI FERTİLİTE PARAMETRELERİ ÜZERİNE ETKİLERİ |
| Dr. Esin ÜNSALDI Prof. Dr. M. Kemal ÇİFTÇİ | TOB TAGEM Selçuk Üniversitesi | FORMALDEHİT, KULLANIM ALANLARI, RİSK GRUBU, ZARARLI ETKİLERİ VE KORUYUCU ÖNLEMLER |
| Dr. Esin ÜNSALDI | TOB TAGEM | HASAK MELEZ KOYUN TİPİNDE NEUROCRANIUM'UN MAKROANATOMİK İNCELENMESİ |
| Prof. Diego Penagos-Vásquez Prof. Dr. Jonathan Graciano- Uribe | Instituto Tecnológico Metropolitano, Colombia | AKIŞKAN DİNAMİKLERİ SİMÜLASYONLARINI KULLANAN TİCARİ RADYAL AKİŞ SANTRİFÜJ POMPASININ SAYISAL ANALİZİ |
| Suleymanov S. Sh. İsmayılov G.K. Muradova E.M. | Azerbaijan State Pedagogical University | BIODIVERSITY AND DISTRIBUTION OF FISH FOUND IN THE SOUTHERN PART OF THE MIDDLE CASPIAN |
| Dr. Öğr. Üyesi Özmen İSTEK Prof. Dr. M. Cengiz HAN Dr. Arş. Gör. Murat TANRISEVER | Muş Alparslan Üniversitesi Fırat Üniversitesi | FIRAT ÜNİVERSİTESİ HAYVAN HASTANESİNE GETİRİLEN SİĞRLARDAKİ TIRNAK DEFORMASYONLARI İLE AYAK HASTALIKLARININ RETROSPEKTİF DEĞERLENDİRİLMESİ |
| SEVGİ ÖZDEMİR | Harran Üniversitesi | İÇME SUYU DEZENFEKSİYONUNDAYA KULLANILAN BAZI YÖNTEMLER |

CONTENT

| | |
|----------------------|-----|
| CONGRESS ID | I |
| SCIENTIFIC COMMITTEE | II |
| PROGRAM | III |
| PHOTO GALLERY | IV |
| CONTENT | V |

| Author | Title | No |
|-------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| Yıldırım ÖZÜPAK | YÜKSEK GERİLİM GÜC HATLARININ MANYETİK ALAN ANALİZLERİ | 1 |
| Yıldırım ÖZÜPAK | YÜKSEK GERİLİM SİSTEMLERDE İLETİM HATLARINDA MEYDANA GELEN ELEKTRİK ALANININ ANALİZİ | 7 |
| Fatih ÖZBAĞ Burcu CEYLAN KURU | EVANS FONKSİYONU İLE TERS YÖNDE İLERLEYEN DALGALARIN SPEKTRUM ANALİZİ | 13 |
| M. Tarık ÇAKIR Bekir YELMEN | ISI GİDERİ İLE SOĞUTMANIN CFD ANALİZİ | 15 |
| Sinan YÜZLÜ Şule UĞUR | XIn ₂ O ₄ (X = Mg, Zn, Cd) BİLEŞİĞİNİN YAPISAL, ELASTİK, ELEKTRONİK VE FONON ÖZELLİKLERİ: YOĞUNLUK FONKSİYONEL TEORİSİ LDA VE GGA HESAPLAMALARI | 25 |
| Zeynep KIZILIRMAK Şule UĞUR | XIn ₂ S ₄ (X = Mg, Zn, Cd) SPİNEL BİLEŞİKLERİNİN İLK İLKE HESAPLAMALARI İLE YAPISAL, ELASTİK, ELEKTRONİK VE FONON ÖZELLİKLERİ | 26 |
| Ezgi MAMAN Gökay UĞUR | X ₂ MgS ₄ (X = Sc, Y, Cd) SPİNEL BİLEŞİKLERİNİN YAPISAL, ELEKTRONİK, ELASTİK VE FONON ÖZELLİKLERİ: DFT ÇALIŞMASI | 28 |
| Hüseyin YILDIRIM | Ir-Au NANOALAŞIMLARININ YAPISAL, ENERJİK VE ERİMƏ ÖZELLİKLERİNE KOMPOZİSYON ETKİSİ | 29 |
| Muhammed YILMAZ Mutlu Tarık ÇAKIR | DOĞRUSAL HAREKETLİ BİR MANYETİK SOĞUTUCUNUN TERMODİNAMİK ANALİZİ | 31 |
| Harun KOÇAK | HAVACILIKTA KULLANILAN DOLU GÖVDELİ PERÇİNİN ŞEKİLENDİRİLMESİİNDE BASKI KUVVETİNİN ARAŞTIRILMASI | 37 |
| İrem FİNÇAN Selin ÖZDEMİR Özgür ÇOPKUR Mustafa BİRİCİKÖZCAN | PVC MASA ÖRTÜSÜ ÜRETİMİNDE KULLANILMAK ÜZERE TEKLİ PAKET STABİLİZATÖR HAZIRLANMASI | 38 |
| Necip Altay EREN | ÇELİK FİBERİN BETON KİRİŞLERİN DARBE DİRENCİNE ETKİSİ | 41 |
| Latif Onur UĞUR Merve ARSLAN | İNŞAAT MÜHENDİSLERİNİN MÜHENDİSLİK ETİĞİ UYGULAMALARININ DEĞERLENDİRİLMESİ | 49 |

| | | |
|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----|
| Latif Onur UĞUR İrem ÇELİK | İNŞAAT FİRMALARININ KAMU İHALELERİNE GİRİP GİRMEME KARARI VERMELERİNÉ YÖNELİK BİR ANKET ÇALIŞMASI | 66 |
| Latif Onur UĞUR | İHALEYİ KAZANACAK BİR İNŞAAT FİRMASININ GRİ İLİŞKİSEL ANALİZ YÖNTEMİ İLE BELİRLENMESİ | 83 |
| Altan ÇETİN Gökhan ORAL | FİBER KATKILAR İLE MODİFİYE EDİLEN GEÇİRİMLİ ASFALT KAPLAMA KARIŞIMLARIN TASARIM PARAMETRELERİNİN İNCELENMESİ | 92 |
| Murat ALTEKİN Burak YÜCE | ELASTİK ZEMİNE OTURAN KOMPOZİT DAİRESEL PLAKLARIN EĞİLME ANALİZİ | 108 |
| Reşit GERGER Selmin DERE | GEN EKSPRESYON YÖNTEMİ İLE YAĞIŞ AKIŞ İLİŞKİSİNİN DEĞERLENDİRİLMESİ: E26A024 İSTASYONU ÖRNEĞİ | 109 |
| Nasır NARLIOĞLU | FARKLI ANHİDRİT MODİFİKASYONUNUN AHŞAP KAPLAMA FİZİKSEL ÖZELLİKLERİNE ETKİSİ | 115 |
| Usman Muhammad Gidado, Muhammad Ahmad Ibrahim, Abdulkadir Sani, Sani Inusa Mılala | CHALLENGES OF REWORK IN CONSTRUCTION PROJECT OF RECONSTRUCTIONS REHABILITATION AND RESETTLEMENT (RRR) MINISTRY BORNO STATE | 125 |
| Rasim Nəsib Oğlu Nəbiyev, Qədir İsaxan Oğlu Qarayev, Ruslan Rüstəm Oğlu Rüstəmov | TUTUM DUYĞACLARI ÜÇÜN YÜKSƏK HƏSSASLI AVTOGENERATOR SXEMİNİN MÜƏYYƏNLƏŞDİRİLMƏSİ | 126 |
| Rasim Nəsib Oğlu Nəbiyev, Qədir İsaxan Oğlu Qarayev, Ruslan Rüstəm Oğlu Rüstəmov, Hafiz Samir Oğlu Quluzadə | İKİ AVTOGENERATORLU DİFERENSİAL TUTUM QURĞUSUNUN PROQRAM TƏMİNATININ İŞLƏNİLMƏSİ | 134 |
| Murat DOĞAN | BIOCHEMICAL EFFECT MECHANISM OF PROBIOTICS IN GUT AND EVALUATION OF THEIR EFFECT ON ALLERGIES | 141 |
| Mine KUÇAK M. Hamza MÜSLÜMANOĞLU | TOLUHİDROKİNONUN KOLON KANSERİ HÜCRELERİ ÜZERİNDEKİ SİTOTOKSİK ETKİLERİNİN ARAŞTIRILMASI | 149 |
| Seval ZEYBEK Emine ÇIKMAN | BAZİ ABİYOTİK FAKTORLERİN GÜBRE BÖCEKLERİNE ETKİSİ | 151 |
| Emre Turgay | METAGENOMICS FOR BETTER CHARACTERIZATION OF MICROBIAL BIODIVERSITY IN AQUACULTURE | 160 |
| Duygu AYDIN Özlem AKSOY Burcu YUKSEL | KATHON CG'İN BEZELYE ÜZERİNDEKİ SİTOTOKSİK ETKİSİ VE SIVI VERMİKOMPOSTUN DÜZENLEYİCİ ÖZELLİĞİ | 161 |
| Levent BEYAZSAKAL Ahmet KILIC | YENİ AMİN-BİS (FENOLAT) LİGANDLARI VE BUNLARIN BOR KOMPLEKSLERİNİN SENTEZİ, KARAKTERİZASYONU VE SPEKTROSKOPİK ÇALIŞMALARI | 163 |

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|-----|
| Rabia Shabir Ahmad | GARLIC: LUMINOUS FOOD IN HEALTH PROMOTION | 165 |
| Waffa Bouafia | IN-VITRO INVESTIGATION OF BIOLOGICAL ACTIVITY OF AERIAL PART OF EPHEDRA ALTISSIMA | 166 |
| Muhammad Imran | GENERAL CHANGES İN FOODS DURING MODERN EXTRUSION COOKING | 167 |
| Novruz Nasirov Guliyeva Jale | VIII SİNİFDƏ PARAMETR DAXİL OLAN BƏZİ BƏRBƏRSİZLİKLƏRİN HƏLLİ | 168 |
| Rania Kara Amor Azizi | ELECTROCHEMICAL CONSTRUCTION OF THIN FILM (0001)-ZnO/(111)-Cu ₂ O HETEROJUNCTION DIODE WITH EXCELLENT RECTIFICATION FEATURE | 174 |
| Bagirova Fidan | BIOLOGIYANIN COĞRAFIYA İLƏ ƏLAQƏLİ TƏDRİSINDƏ FƏNLƏRARASI ƏLAQƏNİN YARADILMASININ IMKAN VƏ YOLLARI | 176 |
| H. Hüseyin ÖZTÜRK Mahmut ÇETİN Ümran ATAY Ertan KAPLAN Uğur Mutluhan ORUNCAK Levent DAİ Yeşim ŞENER Fatih KAYMAK Kemal KAÇKIN Sercan YENTÜRK Nermin ÖZDAĞ | HARRAN OVASINDA İKİNCİ ÜRÜN MISİR ÜRETİMİNDE GÜNEŞ ENERJİLİ DAMLA SULAMA SİSTEMİ İÇİN TASARIM DEĞİŞKENLERİNİN BELİRLENMESİ | 181 |
| H. Hüseyin ÖZTÜRK Mahmut ÇETİN Ümran ATAY Ertan KAPLAN Uğur Mutluhan ORUNCAK Levent DAİ Yeşim ŞENER Fatih KAYMAK Kemal KAÇKIN Sercan YENTÜRK Nermin ÖZDAĞ | HARRAN OVASINDA PAMUK ÜRETİMİNDE GÜNEŞ ENERJİLİ DAMLA SULAMA SİSTEMİ İÇİN TASARIM DEĞİŞKENLERİNİN BELİRLENMESİ | 198 |
| H. Hüseyin ÖZTÜRK Mahmut ÇETİN Ümran ATAY Ertan KAPLAN Uğur Mutluhan ORUNCAK Levent DAİ Yeşim ŞENER Fatih KAYMAK Kemal KAÇKIN Sercan YENTÜRK Nermin ÖZDAĞ | GÜNEYDOĞU ANADOLU BÖLGESİNDƏ TARIMSAL SULAMA İÇİN ENERJİ TASARRUFU ÖNLEMLERİ | 214 |

| | | |
|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Abdülnaim Temur Hasan Bekircan Kiper | TÜRK TARIM SİGORTACILIĞINDA TARSİM ÖNCESİ VE SONRASI DURUM DEĞERLENDİRİMESİ | 227 |
| Abdülnaim Temur | BİRDEN FAZLA SAĞLIK SİGORTASININ BULUNDUĞU DURUMLARDA ÇİFTE SİGORTA YASAKLARININ VEYA MÜŞTEREK SİGORTA HÜKÜMLERİNİN UYGULANACAGI HAKKINDA ÖRNEK BİR VAK'A | 229 |
| Nusret Mutlu H. Hüseyin Öztürk Mustafa Ali Yurdupak Tuğçe Topaloğlu Dikbaş Evrim Esen Uygun | TARIMSAL DEĞER ZİNCİRİ PAYDAŞLARI İÇİN YENİLENEBİLİR ENERJİ VE ENERJİ VERİMLİLİĞİ UYGULANABİLİRLİĞİNİN DEĞERLENDİRİLMESİ | 236 |
| H. Hüseyin ÖZTÜRK Hasan Kaan KÜÇÜKERDEM Nusret MUTLU Yılmaz DAĞTEKİN Mustafa AFŞAR Arzu KARAARSLAN | YENİLENEBİLİR ENERJİ TEKNOLOJİLERİ İLE ELEKTRİK ÜRETİMİ İÇİN YATIRIM VE ÜRETİM MALİYETLERİ | 238 |
| Tayfun Kaya | AKDENİZ VE MARMARA BÖLGESİNDEN BAZI BEYAZSİNEK POPÜLASYONLARINDA PORTIERA İNSİDANSININ İNCELENMESİ | 240 |
| Muhammad Haseeb Ahmad | FLUORESCENCE BASED CHARACTERİZATION OF CEREALS FOR SENSOR DEVELOPMENT | 242 |
| Ayşe Gülgün ÖKTEM | BAZI ATDİSİ MISIR (<i>Zea mays L. indentata</i>) GENOTİPLERİNİN YARI KURAK İKLİM KOŞULLARINDA TAZE BÝOKÜTLE VERİMİ VE ÖĞELERİNİN BELİRLENMESİ | 243 |
| Sait KIRKPınar Mehmet Bozkurt ATAMAN | KIVİRCIK IRKI KOYUNLarda ÜREME SEZONU DİŞINDA KISA VE UZUN SÜRELİ CIDR UYGULAMALARININ BAZI FERTİLİTE PARAMETRELERİ ÜZERİNE ETKİLERİ | 253 |
| Esin ÜNSALDI M. Kemal ÇİFTÇİ | FORMALDEHİT, KULLANIM ALANLARI, RİSK GRUBU, ZARARLI ETKİLERİ VE KORUYUCU ÖNLEMLER | 256 |
| Esin ÜNSALDI | HASAK MELEZ KOYUN TIPİNDE NEUROCRANIUM'UN MAKROANATOMİK İNCELENMESİ | 259 |
| Diego Penagos-Vásquez Jonathan Graciano- Uribe | AKIŞKAN DİNAMİKLERİ SİMÜLASYONLARINI KULLANAN TİCARİ RADYAL AKİŞ SANTRİFÜJ POMPASININ SAYISAL ANALİZİ | 261 |
| İsmayılov Qaçay, Muradova Elnarə, Süleymanov Süleyman | ORTA XƏZƏRİN CƏNUB HİSSƏSİNDE YAŞAYAN BALıQLARIN BIOMÜXTƏLİFLİYİ VƏ YAYILMASI | 263 |
| Özmen İSTEK M. Cengiz HAN Murat TANRISEVER | FIRAT ÜNİVERSİTESİ HAYVAN HASTANESİNE GETİRİLEN SIĞİRLARDAKİ TIRNAK DEFORMASYONLARI İLE AYAK HASTALIKLARININ RETROSPEKTİF DEĞERLENDİRİLMESİ | 272 |
| Sevgi Özdemir | İÇME SUYU DEZENFEKSİYONUNDА KULLANILAN BAZI YÖNTEMLER | 283 |